

IPS HDPE PIPE PE4710 FROM AIS

IPS SIZE ^A	AVG OD, in	DR PR ^B , psi	5	7	9	11	13.5	15.5	17	19	21	26	32.5
3/4	1.050	Min wall in	0.210	0.150	0.117	0.095							
		Avg ID, in	0.605	0.732	0.803	0.848							
		Weight, lb/ft	0.240	0.187	0.148	0.124							
1	1.315	Min wall in	0.263	0.188	0.146	0.120							
		Avg ID, in	0.757	0.917	1.005	1.062							
		Weight, lb/ft	0.376	0.288	0.232	0.195							
1-1/4	1.660	Min wall in	0.332	0.237	0.184	0.151							
		Avg ID, in	0.956	1.157	1.269	1.340							
		Weight, lb/ft	0.600	0.459	0.369	0.310							
1-1/2	1.900	Min wall in	0.380	0.271	0.211	0.173							
		Avg ID, in	1.094	1.325	1.452	1.534							
		Weight, lb/ft	0.785	0.600	0.485	0.406							
2	2.375	Min wall in	0.475	0.339	0.264	0.216	0.176	0.153	0.140				
		Avg ID, in	1.368	1.656	1.816	1.917	2.002	2.050	2.079				
		Weight, lb/ft	1.227	0.939	0.758	0.634	0.526	0.462	0.425				
2 1/2	2.875	Min wall in	0.575	0.411	0.319	0.261	0.213	0.185	0.169				
		Avg ID, in	1.656	2.004	2.198	2.321	2.424	2.482	2.516				
		Weight, lb/ft	1.798	1.377	1.109	0.928	0.771	0.677	0.622				
3	3.500	Min wall in	0.700	0.500	0.389	0.318	0.259	0.226	0.206	0.184	0.167		
		Avg ID, in	2.016	2.440	2.676	2.825	2.950	3.021	3.064	3.109	3.147		
		Weight, lb/ft	2.665	2.040	1.646	1.376	1.141	1.006	0.923	0.830	0.757		
4	4.500	Min wall in	0.643	0.643	0.500	0.409	0.333	0.290	0.265	0.237	0.214	0.173	0.138
		Avg ID, in	3.137	3.137	3.440	3.633	3.793	3.885	3.939	3.998	4.046	4.133	4.206
		Weight, lb/ft	4.406	3.372	2.720	2.275	1.887	1.660	1.526	1.374	1.247	1.018	0.819
5	5.563	Min wall in	1.113	0.795	0.618	0.506	0.412	0.359	0.327	0.293	0.265	0.214	0.171
		Avg ID, in	3.204	3.878	4.253	4.491	4.689	4.802	4.869	4.942	5.001	5.109	5.200
		Weight, lb/ft	6.735	5.154	4.156	3.479	2.886	2.540	2.328	2.100	1.909	1.557	1.254
6	6.625	Min wall in	1.325	0.946	0.736	0.602	0.491	0.427	0.390	0.349	0.315	0.255	0.204
		Avg ID, in	3.816	4.619	5.064	5.348	5.585	5.719	5.799	5.886	5.956	6.085	6.193
		Weight, lb/ft	9.549	7.305	5.894	4.930	4.095	3.599	3.307	2.978	2.703	2.209	1.781
8	8.625	Min wall in	1.725	1.232	0.958	0.784	0.639	0.556	0.507	0.454	0.411	0.332	0.265
		Avg ID, in	4.968	6.013	6.593	6.963	7.271	7.445	7.549	7.663	7.754	7.922	8.062
		Weight, lb/ft	16.185	12.385	9.988	8.359	6.939	6.100	5.597	5.044	4.591	3.744	3.012
10	10.750	Min wall in	2.150	1.536	1.194	0.977	0.796	0.694	0.632	0.566	0.512	0.413	0.331
		Avg ID, in	6.192	7.494	8.218	8.678	9.062	9.280	9.409	9.551	9.665	9.873	10.049
		Weight, lb/ft	25.142	19.245	15.515	12.983	10.774	9.490	8.695	7.838	7.128	5.805	4.689
12	12.750	Min wall in	2.550	1.821	1.417	1.159	0.944	0.823	0.750	0.671	0.607	0.490	0.392
		Avg ID, in	7.344	8.889	9.747	10.293	10.748	11.006	11.160	11.327	11.463	11.710	11.918
		Weight, lb/ft	35.368	27.062	21.837	18.267	15.155	13.348	12.238	11.021	10.023	8.169	6.587
14	14.000	Min wall in	2.800	2.000	1.556	1.273	1.037	0.903	0.824	0.737	0.667	0.538	0.431
		Avg ID, in	8.064	9.760	10.702	11.302	11.801	12.085	12.254	12.438	12.587	12.858	13.087
		Weight, lb/ft	42.643	32.635	26.329	22.030	18.279	16.082	14.763	13.292	12.093	9.848	7.952